



Stallion Impex (P) Ltd.

Construction Chemicals Range

Concrete Plasticisers and Additives

XL RHEOPLAST N30:	Normal plasticizer for low grade concrete application.
XL RHEOPLAST S40:	Super plasticizer for high grade concrete application.
XL RHEOPLAST NR3505:	Normal retarding plasticizer for low grade concrete application.
XL RHEOPLAST SR4010:	Retarding super plasticizer for high grade concrete application.
XL RETARDPLAST R1500:	Retarder for high grade concrete application.
XL PLAST A1190:	Accelerator for high grade concrete application.
XL PLAST AS1250:	Accelerator for shotcrete application.
XLPLAST AEA10:	Air entraining agent for concrete and mortar application.
XL FIB CEL:	Cellulose fibre additive for concrete and mortar property improvement.
XL FIB PP – 6R, 10R, 12R:	Polypropylene fibre additive for concrete and mortar property improvement.

Engineering Grouts and Repair Mortars

XL NAOSHRINK:	Grout additive for plasticized expanding cementitious grouting.
XL MICRO CONCRETE:	Ready to use high strength free flowing micro concrete for repair / modification works.
XL GROUT CR650:	Ready to use ultra high strength free flowing cementitious grout.
XL GROUT CR450:	Ready to use high strength free flowing cementitious grout.
XL GROUT EP1100:	Ready to use high strength free flowing epoxy grout.
XL GROUT LVEP:	Low viscosity high bond strength injection epoxy grout.

Surface Treatment

XL RUSTKLIN:	High grade rust cleaning and oxidizing solution for rusted steel surface.
XL CURE IC:	Inorganic clear color concrete curing aid.
XL CURE WC:	Wax based concrete curing aid.
XL CURE WW:	Wax based white colour concrete curing aid.
XL RESICURE C:	Resin based concrete curing aid.



Stallion Impex (P) Ltd.

XL RESICURE AL:	Resin based aluminized concrete curing aid.
XL CLEAFORM MR:	High quality shuttering chemical for concrete form work.
XL CLEAFORM MRW5:	Water dilutable high quality shuttering chemical for concrete form work.
XL CLEASTRIP SW:	Release agent for a safe stripping of Formliners.

Adhesives and Sealants

XL SBR C40:	Polymer based liquid additive for cement concrete.
XL SBR M50:	Synthetic rubber polymer based liquid additive for cement mortar.
XL ACRYBOND C35:	Acrylic polymer based liquid additive for cement mortar and concrete.
XL CRACK SEAL:	Polymer modified cementitious crack filling system for plaster and masonry cracks.
XL POLYFLEX P:	Two part polysulfide sealant, pourable grade for expansion and construction joints.
XL POLYFLEX G:	Two part polysulfide sealant, gun grade for expansion and construction joints.
XL EPOFLEX:	Two part flexible epoxy sealant for cracks and joints.
XL URIFLEX :	Polyurethane based joint and crack sealing compound.

Flooring Solutions

XL FLOORTOP HC6:	Dry shake metallic high strength floor hardener for monolithic flooring application medium strength.
XL FLOORTOP HC7:	Dry shake non metallic high strength floor hardener for monolithic flooring application.
XL FLOORTOP HC8:	Dry shake non metallic ultra high strength floor hardener for monolithic flooring application.
XL EPOFLOOR SL:	Ready to use four component self leveling epoxy flooring for industrial application.
XL SCREED CR3000:	Abrasion resistant resin based epoxy floor screed.
XL SCREED CR5000:	Heavy duty chemical and abrasion resistant epoxy floor screed.



Stallion Impex (P) Ltd.

Tiling Solutions

XL TILE AID GA:	Polymerised single pack tile fixing system for general tile application.
XL TILE AID MA:	Polymerised single pack tile fixing system for marble application.
XL TILE AID KGA:	Polymerised single pack tile fixing system for kota and granite application.
XL TILE AID GLA:	Polymerised single pack tile fixing system for glass tile application.
XL TILE FILL* :	Waterproof polymerized colored single pack tile joint fillers available in different shades: ivory, yellow, orange, pink, green-parrot, military, cherry, brick red, blue-navy, blue-light, grey, black, diluant / white.
XL TILE FILL EP* :	Waterproof epoxy based colored three pack tile joint fillers available in different shades.

* Specific shades available on order.

Protective Coatings and Wallcare

XL CEM PLUS:	Polymer additive to improve adhesion of lime wash.
XL WALL PUTTY:	Waterproof self-curing white cement based polymerized wall putty.
XL GUARD (W):	Cement based elastomeric coating for exterior waterproofing: white, two pack system.
XL GUARD (G):	Cement based elastomeric coating for exterior waterproofing: grey, two pack system.
XL BOUNCE L5:	Silicon based water repellent coating for exposed surfaces, for excellent looks and long life.
XL BOUNCE PLUS:	Silicon based water repellent coating for exposed surfaces with low absorption, for excellent looks and long life.
XL COTE EP 240:	Solvented high build epoxy protective coating for concrete and steel.
XL COTE EPL 160:	Solvent free chemical resistant epoxy protective coating for concrete and steel.
XL ACRYSEAL:	Ready to use single pack protective breathable anticarbonation coating for concrete surfaces.
XL SEALCOT CR10:	Dry pack polymerised cement based waterproofing coating for exterior application.

Waterproofing Solutions

XL CAPSEAL:	Single pack waterproofing coating with crystallization property, excellent for water retaining structures.
XL PLASTITE P500:	Powder form plaster additive for high workability, low shrinkage and longer pot life of mortar.
XL ADDMORT A15L:	Liquid form plaster additive for high workability, low shrinkage and longer pot life of mortar.
XL INTEADD L40:	Liquid integral water proofing additive for high workability and water proofing of cementitious mixes.